


PVC 4G FLUTED
WALL & CEILING PANELS




PVC FLUTED
WALL & CEILING PANELS



PVC DECORATIVE
WALL & CEILING PANELS



PVC DECORATIVE
WALL & CEILING PANELS





INDEX

01 WPC LOUVERS 05 / 13


14 / 21 WPC LOUVERS **02**

03 4G PVC FLUTED
WALL & CEILLING PANELS 22 / 28

29 / 39 PVC FLUTED
WALL & CEILLING PANELS **04**

05 HEAVY PVC DECORATIVE
WALL & CEILLING PANELS 40 / 45

46 / 51 PVC DECORATIVE
WALL & CEILLING PANELS **06**



"L" Joint & Clamp



Usage :

These panels are widely used in Homes, Offices, Commercial buildings, Religious places, Hotels, Restaurants, Kitchens and Washing rooms.

Features :



**Maintenance
Free**



**Termite
Free**



**Water
Proof**



**Environment
Friendly**



**Fast
Installation**



**Fire
Retardant**




KWL 101



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 102



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 103



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 104



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 105



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 106



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 107



Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM






KWL 108





Height : 2895.6 MM (9.5 Feet)

Width : 192 MM

Thickness : 12 MM





"L" Joint & Clamp



Usage :

These panels are widely used in Homes, Offices, Commercial buildings, Religious places, Hotels, Restaurants, Kitchens and Washing rooms.

Features :



**Maintenance
Free**



**Termite
Free**



**Water
Proof**



**Environment
Friendly**



**Fast
Installation**



**Fire
Retardant**



KWL 201



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM






KWL 202



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM






KWL 203



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM





KWL 204



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM





KWL 205



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM






KWL 206



Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM






KWL 207




Height : 2895.6 MM (9.5 Feet)

Width : 160 MM

Thickness : 24 MM



4G PVC FLUTED WALL & CEILING PANELS



*L*Joint



Usage :

These panels are widely used in Homes, Offices, Commercial buildings, Religious places, Hotels, Restaurants, Kitchens and Washing rooms.

Features :



Maintenance
Free



Termite
Free



Water
Proof



Environment
Friendly



Fast
Installation



Fire
Retardant